

Technical Information LW22

- Chassis in accordance with own drawing
- Several grease nipples in strategic places
- Hydraulics with an overflow valve
- Ball bearings in the top for easier steering
- Great selection of lengths and wheel models
- Equipped with climbing wheels in front

<i>Item No</i>	<i>Capacity Kg</i>	<i>Max lifting height mm</i>	<i>Min lifting height mm</i>	<i>Fork length mm</i>	<i>Fork width mm</i>	<i>Fork size W x H mm</i>	<i>Ste- ering wheels 180x50 mm</i>	<i>Fork wheel mm</i>	<i>Weight- Kg</i>
1300501	2200	200	85	600	520	160x60	Nylon	Nylon/Single	58
1300621	2200	200	85	600	520	160x60	Polyurethane	Poly/Single	58
1300516	2200	200	85	810	520	160x60	Nylon	Nylon/Single	62
1300534	2200	200	85	810	520	160x60	Polyurethane	Poly/Single	62
1300502	2200	200	85	910	520	160x60	Nylon	Nylon/Single	65
1300505	2200	200	85	910	520	160x60	Nylon	Nylon/Bogie	65
1300513	2200	200	85	910	520	160x60	Polyurethane	Poly/Single	65
1300514	2200	200	85	910	520	160x60	Polyurethane	Poly/Bogie	65
1300503	2200	200	85	1150	520	160x60	Nylon	Nylon/Single	70
1300504	2200	200	85	1150	520	160x60	Nylon	Nylon/Bogie	70
1300512	2200	200	85	1150	520	160x60	Polyurethane	Poly/Single	70
1300511	2200	200	85	1150	520	160x60	Polyurethane	Poly/Bogie	70
1300095	1500	200	85	1520	520	160x60	Polyurethane	Poly/Bogie	85
1300096	1500	200	85	1820	520	160x60	Polyurethane	Poly/Bogie	92
1300097	1500	200	85	2100	520	160x60	Polyurethane	Poly/Bogie	105
1300098	1500	200	85	2300	520	160x60	Polyurethane	Poly/Bogie	112